

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to
Promet Safe Ltd. (Bulgaria)
60 Rozova Dolina St., 6100 Kazanlak / BG

the right to carry the ECB•S certification mark for

Light fire storage units of protection level LFS 30 P according to EN 15659:2009
and ECB•S C10

(Series Fort M - LFS30P – Types DOL 130 FIRE, DO100 FIRE, DO130 FIRE, DO160 FIRE, DO50 FIRE, DO60 FIRE, DO65 FIRE,
Imperial 100, 50, 60, 67, 80, 99, 1068, 1285, 1368, 1385, 1566, 1585, 1668 and 1685)
(see Annex)

Certificate Number
0906/LFS15-02B

23 February 2016

valid from

23 February 2016

Frankfurt am Main

5 March 2019

valid until


Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
User Manual	---	09.02.2015	1
Fort M 50 / DO50 FIRE			
Safe Fort-M 50 grade III with fire resistant inset	05454	21.01.2015	3
Fire resistant inset	05454.01	21.01.2015	1
Body	05428.01	21.01.2015	1
Inner case	05428.01.01	21.01.2015	1
Lower semi-body	05428.01.03	21.01.2015	1
Upper semi-body	05428.01.02.001	21.01.2015	1
Door	05428.02	21.01.2015	1
Door's body	05428.02.01	21.01.2015	1
Front panel body door	05428.02.01.01.01	21.01.2015	1
Door's inset	05428.02.01.02	21.01.2015	1
Upper vertical traction	05428.02.03	21.01.2015	1
Lower vertical traction	05428.02.04	21.01.2015	1
Horizontal traction	05428.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 60 / DO60 FIRE			
Safe Fort-M 60 grade III with fire resistant inset	05469	21.01.2015	3
Fire resistant inset	05469.01	21.01.2015	1
Body	05432.01	21.01.2015	1
Inner case	05432.01.01	21.01.2015	1

continued on page 2

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Upper semi-body	05429.01.02.001	21.01.2015	1
Lower semi-body	05432.01.03	21.01.2015	1
Door	05432.02	21.01.2015	1
Door's body	05432.02.01	21.01.2015	1
Front panel body door	05432.02.01.01.01	21.01.2015	1
Door's inset	05432.02.01.01.02	21.01.2015	1
Upper vertical traction	05432.02.03	06.03.2015	1
Lower vertical traction	05432.02.04	06.03.2015	1
Horizontal traction	05432.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 67 / DO65 FIRE			
Safe Fort-M 67 grade III with fire resistant inset	05470	21.01.2015	3
Fire resistant inset	05470.01	21.01.2015	1
Body	05434.01	21.01.2015	1
Inner case	05434.01.01	21.01.2015	1
Upper semi-body	05434.01.02.001	21.01.2015	1
Lower semi-body	05434.01.03	21.01.2015	1
Door	05434.02	21.01.2015	1
Door's body	05434.02.01	21.01.2015	1
Front panel body door	05434.02.01.01.01	21.01.2015	1
Door's inset	05434.02.01.01.02	21.01.2015	1
Upper vertical traction	05434.02.03	21.01.2015	1
Lower vertical traction	05434.02.04	21.01.2015	1
Horizontal traction	05434.02.07	21.01.2015	1

continued on page 3

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 80			
Safe Fort-M 80 grade III with fire resistant inset	05471	21.01.2015	3
Fire resistant inset	05471.01	21.01.2015	1
Body	05435.01	21.01.2015	1
Inner case	05435.01.01	21.01.2015	1
Upper semi-body	05431.01.02.001	21.01.2015	1
Lower semi-body	05435.01.03	21.01.2015	1
Door	05435.02	21.01.2015	1
Door's body	05435.02.01	21.01.2015	1
Front panel body door	05435.02.01.01.01	21.01.2015	1
Door's inset	05435.02.01.01.02	21.01.2015	1
Upper vertical traction	05435.02.03	21.01.2015	1
Lower vertical traction	05435.02.04	21.01.2015	1
Horizontal traction	05435.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 99			
Safe Fort-M 99 grade III with fire resistant inset	05472	21.01.2015	3
Fire resistant inset	05472.01	21.01.2015	1
Body	05436.01	21.01.2015	1
Inner case	05436.01.01	21.01.2015	1

continued on page 4

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Upper semi-body	05433.01.02.001	21.01.2015	1
Lower semi-body	05436.01.03	21.01.2015	1
Door	05436.02	21.01.2015	1
Door's body	05436.02.01	21.01.2015	1
Front panel body door	05436.02.01.01.01	21.01.2015	1
Door's inset	05436.02.01.01.02	21.01.2015	1
Upper vertical traction	05436.02.03	21.01.2015	1
Lower vertical traction	05436.02.04	21.01.2015	1
Horizontal traction	05436.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 1068 / DO100 FIRE			
Safe Fort-M 1068 grade III with fire resistant inset	05473	21.01.2015	3
Fire resistant inset	05473.01	21.01.2015	1
Body	05438.01	21.01.2015	1
Inner case	05438.01.01	21.01.2015	1
Upper semi-body	05437.01.02.001	21.01.2015	1
Lower semi-body	05438.01.03	21.01.2015	1
Door	05438.02	21.01.2015	1
Door's body	05438.02.01	21.01.2015	1
Front panel body door	05438.02.01.01.01	21.01.2015	1
Door's inset	05438.02.01.01.02	21.01.2015	1
Upper vertical traction	05438.02.03	21.01.2015	1
Lower vertical traction	05438.02.04	21.01.2015	1

continued on page 5

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Horizontal traction	05438.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 1285			
Safe Fort-M 1285 grade III with fire resistant inset	05475	21.01.2015	3
Fire resistant inset	05475.01	21.01.2015	1
Body	05448.01	21.01.2015	1
Inner case	05448.01.01	21.01.2015	1
Semi-bodys bottom	05447.01.02	21.01.2015	1
Semi-bodys cover	05447.01.002	21.01.2015	1
Semi-bodys wall	05448.01.001	21.01.2015	1
Door	05448.02	21.01.2015	1
Door's body	05448.02.01	21.01.2015	1
Front panel body door	05448.02.01.01	21.01.2015	1
Door's inset	05448.02.01.01.02	21.01.2015	1
Upper vertical traction	05448.02.03	21.01.2015	1
Lower vertical traction	05448.02.04	21.01.2015	1
Horizontal traction	05448.02.06	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1

continued on page 6

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Fort M 1368 / DO130 FIRE			
Safe Fort-M 1368 grade III with fire resistant inset	05476	21.01.2015	3
Fire resistant inset	05476.01	21.01.2015	1
Body	05442.01	21.01.2015	1
Inner case	05442.01.01	21.01.2015	1
Upper semi-body	05439.01.02.001	21.01.2015	1
Lower semi-body	05442.01.03	21.01.2015	1
Door	05442.02	21.01.2015	1
Door's body	05442.02.01	21.01.2015	1
Front panel body door	05442.02.01.01.01	21.01.2015	1
Door's inset	05442.02.01.01.02	21.01.2015	1
Upper vertical traction	05442.02.03	21.01.2015	1
Lower vertical traction	05442.02.04	21.01.2015	1
Horizontal traction	05442.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 1385 / DOL130 FIRE			
Safe Fort-M 1385 grade III with fire resistant inset	05455	21.01.2015	3
Fire resistant inset	05455.01	21.01.2015	1
Body	05445.01	21.01.2015	1
Inner case	05445.01.01	21.01.2015	1
Semi-bodys bottom	05445.01.02	21.01.2015	1
Semi-bodys cover	05445.01.003	21.01.2015	1
Semi-bodys wall	05445.01.002	21.01.2015	1
Door	05445.02	21.01.2015	1
			continued on page 7

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Door's body	05445.02.01	21.01.2015	1
Front panel body door	05445.02.01.01	21.01.2015	1
Door's inset	05445.02.01.01.02	21.01.2015	1
Upper vertical traction	05445.02.03	21.01.2015	1
Lower vertical traction	05445.02.04	21.01.2015	1
Horizontal traction	05445.02.06	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 1566			
Safe Fort-M 1566 grade III with fire resistant inset	05478	21.01.2015	3
Fire resistant inset	05478.01	21.01.2015	1
Body	05447.01	21.01.2015	1
Inner case	05447.01.01	21.01.2015	1
Semi-bodys bottom	05447.01.02	21.01.2015	1
Semi-bodys cover	05447.01.002	21.01.2015	1
Semi-bodys wall	05447.01.001	21.01.2015	1
Door	05443.02	21.01.2015	1
Door's body	05443.02.01	21.01.2015	1
Front panel body door	05443.02.01.01	21.01.2015	1
Door's inset	05443.02.01.01.02	21.01.2015	1
Upper vertical traction	05443.02.03	21.01.2015	1
Lower vertical traction	05443.02.04	21.01.2015	1
Horizontal traction	05443.02.06	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1

continued on page 8

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
---	50.000.001	03.12.2014	1
Fort M 1585			
Safe Fort-M 1585 grade III with fire resistant inset	05474	21.01.2015	3
Fire resistant inset	05474.01	21.01.2015	1
Body	05443.01	21.01.2015	1
Inner case	05443.01.01	21.01.2015	1
Semi-bodys bottom	05443.01.02	21.01.2015	1
Semi-bodys cover	05440.01.03.001	21.01.2015	1
Semi-bodys wall	05440.01.02.001	21.01.2015	1
Door	05443.02	21.01.2015	1
Door's body	05443.02.01	21.01.2015	1
Front panel body door	05443.02.01.01	21.01.2015	1
Door's inset	05443.02.01.01.02	21.01.2015	1
Upper vertical traction	05443.02.03	21.01.2015	1
Lower vertical traction	05443.02.04	21.01.2015	1
Horizontal traction	05443.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 1668 / DO160 FIRE			
Safe Fort-M 1668 grade III with fire resistant inset	05456	21.01.2015	3
Fire resistant inset	05467.01	21.01.2015	1
Body	05444.01	21.01.2015	1
Inner case	05444.01.01	21.01.2015	1
Upper semi-body	05441.01.02.001	21.01.2015	1

continued on page 9

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Lower semi-body	05444.01.03	21.01.2015	1
Door	05444.02	21.01.2015	1
Door's body	05444.02.01	21.01.2015	1
Front panel body door	05444.02.01.01.01	21.01.2015	1
Door's inset	05444.02.01.01.02	21.01.2015	1
Upper vertical traction	05444.02.03	21.01.2015	1
Lower vertical traction	05444.02.04	21.01.2015	1
Horizontal traction	05444.02.07	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1
Fort M 1685			
Safe Fort-M 1685 grade III with fire resistant inset	05457	21.01.2015	3
Fire resistant inset	05457.01	21.01.2015	1
Body	05446.01	21.01.2015	1
Inner case	05446.01.01	21.01.2015	1
Semi-bodys bottom	05445.01.02	21.01.2015	1
Semi-bodys cover	05445.01.003	21.01.2015	1
Semi-bodys wall	05445.01.002	21.01.2015	1
Door	05446.02	21.01.2015	1
Door's body	05446.02.01	21.01.2015	1
Front panel body door	05446.02.01.01	21.01.2015	1
Door's inset	05446.02.01.01.02	21.01.2015	1
Upper vertical traction	05444.02.03	21.01.2015	1
Lower vertical traction	05446.02.04	21.01.2015	1

continued on page 10

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series Fort M – LFS30P)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Horizontal traction	05444.02.06	21.01.2015	1
Material list	--- Rev. 2	22.12.2014	3
Formula "concrete PAPB-62"	---	01.12.2014	1
---	50.000.001	03.12.2014	1

NOTE: The maximum difference in internal dimensions (width and depth of the storage space measured from wall to wall) of the series products compared to the ECB•S certified light fire storage units is $\pm 15\%$.

The ECB•S certification for the model series Fort M - LFS30P according to EN 15659:2009 is only valid for light fire storage units which comply with the approved Technical Documentation in accordance with Certificate 0906/LFS15-02B. The construction specified for the safe (model series Fort M - LFS30P) in accordance with Certificate 0906/SA13-03D is to be observed as well. In the event of discrepancies in the technical design (e.g. plinth, locks, door construction), the approved documentation in accordance with Certificate 0906/LFS15-02B is applicable for light fire storage units.